DERBY STREET WALCHA UPGRADE PLANTING PLANS

SPECIFICATION NOTES

WSC= Walcha Council PAP=Principals Authorised Person CW= Collins Williams

1. All work is to be carried out in accordance with approved project documentation and Walcha Council Engineering Design Codes, Standard Drawings, Construction Standards and Conditions of Approval.

2. Where information is not detailed, relevant Australian Standards and Specifications shall apply. 3. If Archaeological or cultural material is discovered on site all work must cease and the Principals Authorised Person notified for direction.

4. All dimensions and levels are to be verified by the Contractor. Do not scale from the drawings. Overall setout should be

prepared and approved by the Principals Authorised Person prior to commencement of works. 5. If there is any ambiguity, error, omission, or inconsistency in the contract documentation seek advice from the

Principals Authorised Person before proceeding. 6. Public access shall be restricted to the works area with a 1.8m high temporary fence maintained until practical

7. Provide all necessary traffic control, continuity of services, pedestrian safety measures and access to premises during the whole of the works. Maintain communication with occupants of adjacent premises to minimise disruption to their

8. Works are to be constructed in accordance with the approved Review of Environmental Factors (REF)

Erosion and Sediment Control

1. The Contractor has full responsibility to provide whatever measures are required for effective erosion and sedimentation control at all times as per Walcha Council Engineering Design Codes for Erosion Control Sedimentation

2. The Contractor shall provide an Erosion and Sediment Control Plan for the works prior to commencement on site for approval by the Principals Authorised Person.

3. Minimise the area of site being disturbed at any one time.

4. Protect all stockpiles of materials from scour and erosion.

1. Services shown on plans are indicative only and provided to inform of the liklihood and presence of utilities only. 2. The Contractor is responsible for accurately locating utilities and resolving any clashes prior to commencing works. 3. Utility Authorities are to be notified in accordance with individual requirements.

Protection of Areas outside of Scope of Works

The Contractor will be responsible for the protection of areas not within the scope of works. Construction fencing shall be installed and approved by the Principals Authorised Person prior to works commencing. Any damage to adjoining site areas shall be made good to the satisfaction of the PAP prior to project completion.

1. All earthworks and site preparation to be in accordance with AS3798.

2. All services to be located and marked prior to commencement of earthworks.

3. Site topsoil should be stripped and stockpiled for re-use on site prior to bulk earthworks. 4. If imported topsoil is required to achieve final levels, it shall comply with AS4419.

Levels and Drainage

1. Confirm all levels on site prior to construction.

2. Ensure positive drainage away from buildings/ shelters.

3. Grades are to be continuous between spot heights. Spot heights are representative of finished levels.

4. Feather fill into existing landform at min 1:4 gradient.

5. Ag drains as shown to be connected to existing drainage system

1. All existing trees to be retained are to be protected in accordance with AS4970-2009 Protection of Trees on

2. Protection measures shall include a 1.8m high temporary fence around the Tree Protection Zone (TPZ) maintained until

Practical Completion. 3. All trees to be removed are to be tagged and confirmed by the Principals Authorised Person prior to removal.

4. Council arborist to be consulted on all tree issues that may arise prior to any works being undertaken.

1. Contractor to locate and verify the existence of underground services prior to commencing planting

2. No planting to occur until rough surface levels have been approved by the Principals Authorised Person

3. All plants shall bear the same relationship to finished grade as the plants original grade

5. All plants to be set plumb

6. The Landscape Contractor shall refer to the plant schedule for plant densities and any other special requirements.

7. Trees - Trees are to be supplied in accordance with AS2303

4. All plants to be installed per details and contract specification

8. Plants - Plant stock shall be healthy and free of insects or disease. Stock that is heavily root bound, weak or diseased shall not be used. All plants should be hardened off in their containers for the site conditions they are intended for. Plants should be planted as soon as possible after delivery and should be identified and labelled.

9. Mulch - Site mulch (Mulch from Trees to be removed) is to be applied to all trees and garden beds to a depth of min 100mm. Age mulch for min 3 months prior to application.

10. Mulch Application- Place mulch to the required depth and clear of plant stems - after settling, smooth and evenly graded between design surface levels and slope towards the base of plant stems in garden bed

11. Turf - Sir Walter turf to be cultivated turf of even thickness, free from weeds and other foreign matter. Lay turf to finish, after tamping, flush with adjacent finished surfaced of ground. Lightly top-dress to fill voids between rolls and against edges. Min 1m of instant turf around all new hard surfaces and street trees

12. Grass Seed - seed all disturbed areas on rock free topsoil with approved seed blend

12. Completion - Remove temporary protective fences, stakes and ties that are no longer required at the end of the

Maintenance Program

The landscape maintenance period shall commence at the date of Practical Completion. The required period shall be 3

Throughout the Maintenance Period, continue to carry out recurrent works of a maintenance nature, including but not limited to weeding, rubbish removal, fertilising, pest and disease control, staking and tying, replanting, pruning and the like. Contractor to keep a logbook including date of attendance on site, activities carried out, actions taken etc

Trees and garden bed areas shall be watered regularly so as to ensure continuous healthy growth.

The Landscape Contractor shall replace all plants that are missing, unhealthy or dead at no cost to the Council. Replacements shall be of a similar size and quality and identical species to the plant that has failed. Replacements shall be made within two weeks of the plant having died or seen to be missing

Any vandalism to landscape works must be reported to the Principals Authorised Person within 24hrs and photographic

Weeding and Rubbish Removal

During the Maintenance Period the Landscape Contractor shall remove rubbish and weed growth that may occur and re-occur throughout the period. Only approved herbicides may be used and shall be used according to the manufacturer's

Grass Areas

Landscape Contractor to maintain healthy, weed free growth of turfed areas. Turf to be cut at intervals to maintain height of 30-50mm. Irregularities in turf to be corrected by topdressing. Any damage to turf by others to be reported to the Principals Authorised Person within 24hrs and photographic record taken.

Mulched Surfaces

All mulched surfaces shall be maintained in a clean and tidy condition and be reinstated where necessary to a depth of

Stakes and Ties

Adjust stakes and ties where necessary. Where plants are robust and have a well-developed root system and no longer require support, stakes and ties shall be removed. Where plants are unable to be self-supporting or where stakes are damaged, plants shall be re-staked.

Pest and Disease Control

All plants shall be checked prior to planting and at regular intervals during the works and Maintenance Period for disease and insect attack. Any problems shall be identified, and the standard horticultural practices shall be implemented to control and eliminate the problem. Any spraying shall be carried out strictly in accordance with the manufacturer's

Trees and shrubs shall be pruned as required. Emphasis to be placed upon ensuring 'sight lines' are maintained within any roadside plantings. Pruning will be directed at the maintenance of the dense foliage and beneficial to the condition of the plant. Any damaged growth shall be pruned. Vigorous groundcovers shall be pruned to be kept clear and maintained 150mm from the base of any tree or shrub and footpath.

REV

LEGEND





Garden Bed Refer Planting Plans and Details




Turf-Instant Sir Walter Buffalo



Turf- Seeded

Proposed Tree

and Detail





DERBY STREET 12000 5700 18 PsA Plant in groups of 3 50 NdF 50 NdF JOHN OXLEY MONUMENT

DRAWING SCHEDULE

L100 COVER SHEET / PLANTING PLAN JOHN OXLEY N L101 PLANTING PLAN APSLEY ROAD INTERSECTION L102 PLANTING PLAN SOLDIERS MEMORIAL PARK

L103 PLANTING PLAN JAMIESON STREET INTERSECT L104 PLANTING DETAILS L105 PLANTING DETAILS

COORDINATION

L106 PLANT SCHEDULE

THESE PLANS SHOW GARDEN PLANTING AND TREE PLANTING DETAILS

REFER TO COLLINS WILLIAMS (CW) PLANS FOR OTH SUCH AS ALL HARDSCAPE, PAVEMENT, SERVICES, & STREE TREE LOCATIONS



NOT FOR CONSTRUCTION

DERBY STREET UPGRADE LANDSCAPE ARCHITECTURAL DOCUMENTATION

DRAWING No. DRAWING TITLE

L100 COVER SHEET

DRAWING REGISTER

DESCRIPTION DRAFT TENDER


DATE 1.02.2024 LANDSCAPE ARCHITECT

MYRTLE STUDIO MYRTLE ST DORRIGO 2453 rebeccadoblo@bigpond.com myrtlestudiodesign.com.au 0408005904




	CLIENT	DRAWN	APPROVED
	WALCHA COUNCIL	RD	
7	SCALE		
	1:100@A1 (OR AS SHOWN)		
	(ON AS SHOWN)		








DERBY STREET UPGRADE		G REGISTER		LANDSCAPE ARCHITECT		CLIENT	DRAWN	APPROVED
LANDSCAPE ARCHITECTURAL DOCUMENTATION	REV A	DESCRIPTION DRAFT TENDER	DATE 1.02.2024	MYRTLE STUDIO MYRTLE ST	MYRTLE STUDIO	WALCHA COUNCIL		
DRAWING No. DRAWING TITLE L101 PLANTING PLAN APLEY ROAD INTERSECTION				DORRIGO 2453 rebeccadoblo@bigpond.com myrtlestudiodesign.com.au	MIRILESTODIO	SCALE 1:100@A1		
				0408005904		(OR AS SHOWN)		









2 SHOWGROUND PARKING ISLAND PLANTING
- Plan scale 1:100@A1

DERBY STREET UPGRADE	DRAWING REGISTER	DRAWING REGISTER			CLIENT	DRAWN APPROVED RD
LANDSCAPE ARCHITECTURAL DOCUMENTATION	REV DESCRIPTION	DATE	MYRTLE STUDIO MYRTLE ST		WALCHA COUNCIL	
DRAWING No. DRAWING TITLE	A DRAFT TENDER	1.02.2024	DORRIGO 2453 rebeccadoblo@bigpond.com	MYRTLE STUDIO	SCALE	
L102 PLANTING PLAN SOLDIERS MEMORIAL PARK			myrtlestudiodesign.com.au 0408005904		1:100@A1 (OR AS SHOWN)	




DERBY STREET UPGRADE		NG REGISTER		LANDSCAPE ARCHITECT		CLIENT	DRAWN	APPROVED
LANDSCAPE ARCHITECTURAL DOCUMENTATION	REV	DESCRIPTION DRAFT TENDER	DATE 1.02.2024	MYRTLE STUDIO MYRTLE ST		WALCHA COUNCIL		
DRAWING No. DRAWING TITLE		DRAFI IENDER	1.02.2024	DORRIGO 2453	MYRTLE STUDIO	SCALE		
L103 PLANTING PLAN JAMIESON ST				rebeccadoblo@bigpond.com myrtlestudiodesign.com.au		1:100@A1		
				0408005904		(OR AS SHOWN)		



0408005904

(OR AS SHOWN)



PLANT SCHEDULE

Plan Code	Botanical name	Common name	Cultivar	Туре	Location	Number	Density	Pot Size	Mature Height	Mature Width
Ef	Euonymus fortunei	Wintercreeper	Silver Pillar	Shrub	Apsley Cnr	86	3/m2	140mm	80cm	80cm
Ej	Euonymus japonicus	Japanese Spindle	Tom Thumb	Shrub	Apsley Cnr	192	4/m2	140mm	50cm	50cm
Ss	Sedum spectabile	Sedum	Autumn Joy	Groundcover	Apsley Cnr	176	4/m2	140mm	50cm	60cm
NdF	Nandina domestica	Sacred Bamboo	Flirt	Shrub	John Oxley	100	5/m2	140mm	30cm	40cm
PsA	Phlox subulata	Alpine phlox	Amazing Grace	Groundcover	John Oxley	18	2/m2	140mm	15cm	1m
Psp	Phlox subulata	Alpine phlox	Pink and White	Groundcover	John Oxley	18	2/m2	140mm	15cm	1m
Сс	Convolvulus cneorum	Silver Bush		Shrub	Memorial Park	100	2/m2	140mm	60cm	1m
Нта	Hebe	Shrubby veronica	Mary Antoinette	Shrub	Memorial Park	100	3m2	140mm	70cm	70cm
Нрр	Hebe	Shrubby veronica	Pretty in Pink	Shrub	Memorial Park	100	3m2	140mm	70cm	70cm
NdF	Nandina domestica	Sacred Bamboo	Flirt	Shrub	Memorial Park	150	5/m2	140mm	30cm	40cm
Tf	Teucrium frutescens	Silver Germander	Silver and Sapphires	Shrub	Memorial Park	100	2/m2	140mm	1m	1m
Jh	Juniperus horizontalis	Juniper	Blue Forest/Glauca	Groundcover	Memorial Park	38	0.5/m2	140mm	10cm	1.8m
Ro	Rosmarinus officinalis	Rosemary	Prostrate	Groundcover	Memorial Park	37	2/m2	140mm	40cm	80cm
Sm	Sedum mexicanum	Sedum	Gold Mound	Groundcover	Memorial Park	100	4/m2	140mm	50cm	60cm
Ss	Sedum spectabile	Sedum	Autumn Joy	Groundcover	Memorial Park	176	3/m2	140mm	50cm	60cm
Sb	Stachys byzantina	Lambs Ears		Groundcover	Memorial Park	300	4/m2	140mm	20cm	50cm
NdB	Nandina domestica	Sacred Bamboo	Blush	Shrub	Showground	159	4/m2	140mm	70cm	70cm
NdF	Nandina domestica	Sacred Bamboo	Flirt	Shrub	Showground	200	5/m2	140mm	30cm	40cm
Tf	Teucrium frutescens	Silver Germander	Silver and Sapphires	Shrub	Showground	189	2/m2	140mm	1m	1m
Dc	Delosperma cooperi	Ice Plant	White Wonder	Groundcover	Showground	219	5/m2	140mm	10cm	40cm
Ej	Euonymus japonicus	Japanese Spindle	Tom Thumb	Shrub	Showground Parking	14	4/m2	140mm	50cm	50cm
NdF	Nandina domestica	Sacred Bamboo	Flirt	Shrub	Showground Parking	108	5/m2	140mm	30cm	40cm
Sm	Sedum mexicanum	Sedum	Gold Mound	Groundcover	Showground Parking	193	4/m2	140mm	50cm	60cm
Refer legend	Gingko biloba	Gingko	Princeton Sentry	Tree	Street Tree North East	37	As Shown	200L	11m	4m
Refer legend	Lagerstroemia indica	Crepe Myrtle	Zumi	Tree	Street Tree North West	7	As Shown	200L	4m	3m
Refer legend	Ulmus lutescens	Golden Elm	Louis Van Houtte	Tree	Street Tree South East	34	As Shown	200L	10m	12m
Refer legend	Lagerstroemia indica	Crepe Myrtle	Zumi	Tree	Street Tree South West	49	As Shown	200L	4m	3m

DERBY STREET UPGRADE	DRAWING REGISTER		LANDSCAPE ARCHITECT	MYRTLE STUDIO	CLIENT	DRAWN RD	APPROVED
LANDSCAPE ARCHITECTURAL DOCUMENTATION DRAWING No. DRAWING TITLE L106 PLANT SCHEDULE	REV DESCRIPTION A DRAFT TENDER	DATE 1.02.2024	MYRTLE STUDIO MYRTLE ST DORRIGO 2453 rebeccadoblo@bigpond.com myrtlestudiodesign.com.au 0408005904		SCALE 1:100@A1 (OR AS SHOWN)	ND	