

Walcha Landfill


Location: 49 Aerodrome Road, Walcha NSW 2354 Environment Protection Licence Number: 6120 Activities: Waste disposal by application to land
Licensee under Protection of Environment Operations Act 1997 (POEO Act): Walcha Council, PO Box 2, Walcha NSW 2354

The internet link to Licence No. 6120 is <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=31026&SYSUID=1&LICID=6120>
Council is required to monitor groundwater, surface water and leachate at various sampling points. This document details recent results. To meet its obligation under Section 66 (6) of the POEO Act, a link to the current version of this document is available on Council's website.

Locations of the sampling points are shown on the adjacent figure. Historical names are used. WBH stands for Walcha Bore Hole. [A bore hole is an investigative hole. When casing and screen are installed for monitoring, it is called a monitoring well.] SW = Surface water; L = Leachate.

Corresponding Environment Protection Authority (EPA) Identification Numbers detailed on the Licence are provided below:

EPA No. 1	WSW2 (surface water pond)
EPA No. 2	WSW1 (surface water pond)
EPA No. 3	WL1 (leachate in landfill cell)
EPA No. 4	WBH2 (groundwater monitoring well)
EPA No. 5	WBH3 (groundwater monitoring well)
EPA No. 6	WBH1 (groundwater monitoring well)



Base map: SIX © NSW Department of Lands 2006, downloaded April 2010

Monitoring results for the last four years are presented on the following pages – as required in the EPA publishing requirements.

Water quality analytes are organised in the following tables according to chemical grouping to assist chemical review. [Analytes are listed on the licence in alphabetical order.] They include analytes for groundwater, surface water and landfill leachate.

Tables are presented separately for field and laboratory results. Field results start with the date the sampling and field tests were undertaken. Laboratory results tables start with the date the laboratory issued the results, followed by the date by which results were placed on the Walcha Council website.

Abbreviations made in the tables are provided here in alphabetical order:

Alk = Alkalinity measured as mg/L CaCO₃ equivalent; As = Arsenic; BTEX = Benzene, Toluene, Ethylbenzene, Xylene; Cd = Cadmium; Cl = Chloride; Cr = Chromium; Cu = Copper; D = Depth (Standing Water Level); DO = Dissolved Oxygen; EC = Electrical Conductivity also called conductivity; Eh = Redox Potential; Fe = Iron; Free CO₂ = Free Carbon Dioxide; Hg = Mercury; NC = Not continuing; ND = Nil detected; NR = Not required; Pb = Lead; Mn = Manganese; NH₃ = Ammonia as a measure of ammonium ions; NO_x = Nitrite + Nitrate; OC & OP = Organochlorine and Organophosphorus pesticides; RL = Reduced Level; SO₄ = Sulphate; SS = Total suspended solids; Temp = Temperature; TKN = Total Kjeldahl Nitrogen (organic nitrogen + ammonia); TOC = Total Organic Carbon; TP = Total Phosphorus; Zn = Zinc.

Measures:

mg/L = milligram per litre (equivalent to ppm); µS/cm = microSiemens per centimetre; mV = millivolts; °C= degrees Celsius.

Choice of water quality analytes:

Some analytes are tested because they give a general understanding of groundwater, surface water and leachate quality. The concentrations are usually greater in leachate than in groundwater and surface water. A simple comparison can tell us if landfill leachate may have escaped into groundwater or surface water. However, groundwater has particular characteristics that need to be taken into account so that false conclusions are not made. For example, groundwater may have naturally high salt levels due to the clay strata in which it resides. EC is an indicator of salt levels. This is not the case in Walcha Landfill groundwater. Its EC is even at acceptable drinking water quality EC.

Other analytes give us more specific information about the possible presence of landfill leachate in groundwater and surface water. Even with these we must carefully consider if their increased concentrations are definitely due to landfill leachate and are not from some other source.

- Nitrogen compounds indicate biodegradation of the plant and animal waste in our solid waste. They may also be due to fertilizer use on nearby properties. A general rule of thumb is that total nitrogen (TKN + NO_x) should be <5 mg/L.
- Iron and manganese above 10 mg/L is an indicator that landfill leachate may be present in groundwater. However, these groundwater analytes may have increased due to leaching of iron and manganese from the soil after excessive rainfall or flood water infiltration.
- Organic analytes such as BTEX compounds are most likely to indicate landfill leachate, especially if they haven't been detected before.

So it is important to monitor on a regular basis to note any changes in water quality analyte concentrations and to judiciously review the results. Increases in groundwater and surface water analyte concentrations due to landfill leachate intrusion are often at least three to four times the previous concentrations.

Comments on water quality monitoring results: No results are a concern. Nitrate in groundwater at WBH3 has dissipated to trace concentrations over time. This nitrate may have been due to landfill leachate. Nitrogen compounds in surface water are likely due to animal dung.

Table 1: Groundwater quality & water level

Sample date	Frequency required by licence	DO	EC	pH	Eh	Temp	D	RL	Alk	Free CO ₂
Measure		mg/L	µS/cm	1-14	mV	°C	m	m	mg/L	mg/L
EPA6-WBH1		Six monthly								
28/02/20		3.52	498	6.11	+126	17.2	26.62	1094.25	130	111
27/10/20		3.90	493	6.35	+212	15.5	26.77	1094.10	130	114
26/05/21		4.00	493	6.02	+212	16.5	26.65	1094.22	130	117
02/11/21		4.99	489	6.27	+147	15.7	26.40	1094.47	133	141
07/06/22		6.04	579	6.70	+159	14.2	25.46	1095.41	163	117
14/12/22		3.85	648	6.49	+101	15.9	24.57	1096.30	203	114
11/07/23		2.12	703	6.46	+174	14.6	24.53	1096.34	210	132
19/01/24		1.89	559	6.44	+133	17.7	24.65	1096.22	183	135
25/06/24		2.26	769	6.44	+156	13.9	24.64	1096.23	223	153
EPA4-WBH2R		Six monthly								
28/02/20		2.55	259	6.07	+165	19.2	48.89	1100.31	107	106
27/10/20		2.76	264	6.42	+171	17.7	49.10	1100.10	117	111
26/05/21		2.71	266	5.94	+213	17.1	49.22	1099.98	113	138
02/11/21		2.81	266	6.24	+161	16.9	49.34	1099.86	120	132
07/06/22		2.63	277	6.17	+143	15.7	49.18	1100.02	117	120
14/12/22		2.75	264	6.20	+261	16.4	48.85	1100.35	127	117
11/07/23		2.98	264	6.16	+192	17.1	48.36	1100.84	113	129
19/01/24		2.77	268	6.26	+176	19.5	48.03	1101.17	110	126
25/06/24		2.90	263	6.25	+184	15.0	47.92	1101.28	113	132
EPA5-WBH3		Six monthly								
28/02/20		4.91	219	6.35	+138	18.9	40.65	1095.79	90	62
27/10/20		4.95	218	6.55	+178	17.5	40.76	1095.68	95	53
26/05/21		4.42	224	6.31	+186	18.2	40.68	1095.76	92	65
02/11/21		4.53	221	6.60	+155	17.5	40.68	1095.76	97	73
07/06/22		4.52	231	6.41	+95	17.0	39.79	1096.65	93	70
14/12/22		4.47	228	6.45	+178	17.6	38.89	1097.55	97	67
11/07/23		4.19	225	6.36	+171	17.9	38.60	1097.84	93	59
19/01/24		4.17	243	6.53	+161	19.2	38.60	1097.84	97	56
25/06/24		4.53	227	6.49	+173	16.1	38.78	1097.66	100	65

Received from laboratory	Accessible on Council website by	SO ₄	Cl	Mn	Fe	NH ₃	NO _x	TKN	TN	TOC
		mg/L	mg/L	mg/L	mg/L	mg/L as N	mg/L as N	mg/L as N	mg/L as N	mg/L
10/03/20	30/03/20	13	64	<0.001	<0.05	0.01	1.97	0.3	2.3	<1
10/11/20	30/11/20	11	66	<0.001	<0.05	0.01	2.41	0.3	2.7	7
04/06/21	24/06/21	9	61	<0.001	<0.05	<0.01	2.20	0.4	2.6	1
12/11/21	03/12/21	46	39	<0.001	<0.05	<0.01	0.52	0.1	0.6	4
20/06/22	08/07/22	83	30	<0.001	<0.05	<0.01	0.08	0.1	0.2	6
29/12/22	23/01/23	109	40	<0.001	<0.05	<0.01	0.08	0.2	0.3	4
18/07/23	07/08/23	126	48	<0.001	<0.05	0.01	0.10	<0.1	0.1	4
30/01/24	19/02/24	62	52	0.001	<0.05	<0.01	0.30	0.2	0.5	2
03/07/24	23/07/24	123	47	0.001	<0.05	<0.01	0.36	0.2	0.6	2
10/03/20	30/03/20	9	8	0.007	<0.05	0.02	0.04	<0.1	<0.1	<1
10/11/20	30/11/20	9	8	<0.001	<0.05	<0.01	0.04	<0.1	<0.1	4
04/06/21	24/06/21	9	8	0.001	<0.05	<0.01	0.04	<0.1	<0.1	<1
12/11/21	03/12/21	8	8	0.001	<0.05	<0.01	0.05	<0.1	<0.1	4
20/06/22	08/07/22	9	8	0.002	<0.05	<0.01	0.05	<0.1	<0.1	3
29/12/22	23/01/23	8	9	<0.001	<0.05	<0.01	0.05	<0.1	<0.1	<1
18/07/23	07/08/23	9	8	0.001	<0.05	<0.01	0.04	<0.1	<0.1	<1
30/01/24	19/02/24	9	8	0.001	<0.05	<0.01	0.05	<0.1	<0.1	<1
03/07/24	23/07/24	9	8	<0.001	<0.05	<0.01	0.04	<0.1	<0.1	<1
10/03/20	30/03/20	4	5	<0.001	<0.05	0.03	1.84	<0.1	1.8	<1
10/11/20	30/11/20	5	5	<0.001	<0.05	<0.01	1.62	<0.1	1.6	3
04/06/21	24/06/21	5	5	<0.001	<0.05	0.01	1.87	0.2	2.1	<1
12/11/21	03/12/21	4	5	<0.001	<0.05	<0.01	2.04	0.2	2.2	<1
20/06/22	08/07/22	4	4	<0.001	<0.05	0.01	2.06	0.1	2.2	<1
29/12/22	23/01/23	4	5	<0.001	<0.05	<0.01	2.19	<0.1	2.2	<1
18/07/23	07/08/23	4	5	<0.001	<0.05	<0.01	2.38	0.1	2.5	<1
30/01/24	19/02/24	5	5	<0.001	<0.05	0.01	2.47	0.2	2.7	<1
03/07/24	23/07/24	5	5	<0.001	<0.05	<0.01	2.40	0.4	2.8	<1

Table 2: Surface water quality - Field analytes

Sample date	Frequency required by licence	DO	EC	pH	Eh	Temp	Alk	Free CO ₂
Measure		mg/L	µS/cm	1-14	mV	°C	mg/L	mg/L
WSW1	Six monthly							
28/02/20		12.30	65	6.39	+135	22.2	11	23
27/10/20		6.59	84	6.70	+192	15.3	25	15
26/05/21		6.51	70	6.21	+218	13.7	273	26
02/11/21		7.92	77	6.95	+203	15.6	20	18
07/06/22		6.48	47	6.81	+262	8.2	14	15
14/12/22		6.29	109	7.13	+165	16.2	23	12
11/07/23		7.79	128	6.84	+165	11.4	17	22
19/01/24		9.59	120	6.68	+125	21.7	20	21
25/06/24		5.29	80	6.84	+152	9.5	21	23
WSW2	Six monthly							
28/02/20		5.11	742	7.05	+231	23.2	203	47
27/10/20		2.71	739	7.31	+187	18.5	143	23
26/05/21		11.84	932	7.25	+232	12.4	21	21
02/11/21		10.34	940	7.15	+194	18.0	350	26
07/06/22		9.55	1018	6.55	+153	7.8	280	26
14/12/22		5.09	914	7.40	+177	16.6	220	29
11/07/23		12.02	986	7.56	+177	7.0	237	26
19/01/24		3.89	1062	7.53	+136	23.2	380	32
25/06/24		11.94	1144	6.94	+335	8.0	367	41

Table 3: Surface water quality – Laboratory analytes

Sample date	Frequency required by licence	Received from laboratory	Accessible on Council website by	SS	SO ₄	Cl	As	Cd	Cr	Cu	Ni	Pb	Zn	Mn	Fe	NH ₃	NO _x	TKN	TN	TP	TOC	BTEX compounds	
Measure				mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L as N	mg/L as N	mg/L as N	mg/L as N	mg/L	mg/L	mg/L	mg/L
EPA2-WSW1 Six-monthly																							
28/02/20		10/03/20	30/03/20	52	<1	6	0.002	<0.0001	<0.001	0.003	<0.001	<0.001	0.007	0.336	0.82	0.14	<0.01	6.0	6.0	4.24	30	ND	
27/10/20		10/11/20	30/11/20	70	1	6	0.002	<0.0001	<0.001	<0.001	0.002	<0.001	0.006	0.586	2.59	0.56	<0.01	6.3	6.3	1.72	37	ND	
26/05/21		04/06/21	24/06/21	9	<1	5	0.002	<0.0001	<0.001	0.002	0.001	<0.001	0.010	0.307	1.88	1.05	<0.01	4.0	4.0	0.58	26	ND	
02/11/21		12/11/21	03/12/21	30	<1	4	0.002	<0.0001	<0.001	0.004	0.003	<0.001	0.033	0.804	1.86	0.03	<0.01	5.2	5.2	1.48	33	ND	
07/06/22		20/06/22	08/07/22	43	<1	2	<0.001	0.0001	<0.001	0.002	0.001	<0.001	0.009	0.037	0.98	0.25	<0.01	1.7	1.7	0.24	16	ND	
14/12/22		29/12/22	23/01/23	23	<1	13	0.001	<0.0001	<0.001	<0.001	0.002	<0.001	<0.005	0.981	0.80	<0.01	<0.01	1.8	1.8	0.35	18	ND	
11/07/23		18/07/23	07/08/23	192	<1	17	0.001	<0.0001	<0.001	0.003	0.005	<0.001	0.020	0.394	0.76	0.17	<0.01	2.8	2.8	0.42	24	ND	
19/01/24		30/01/24	19/02/24	128	<1	2	0.006	<0.0001	0.002	0.020	0.005	0.001	0.043	1.410	3.89	0.20	<0.01	8.4	8.4	3.31	59	ND	
25/06/24		03/07/24	23/07/24	<5	<1	6	<0.001	<0.0001	<0.001	0.003	0.002	<0.001	0.007	0.066	0.75	0.08	<0.01	1.4	1.4	0.16	22	ND	
EPA1-WSW2 Six-monthly																							
28/02/20		10/03/20	30/03/20	<5	143	12	<0.001	0.0011	<0.001	0.009	0.006	<0.001	0.852	0.050	0.06	0.02	3.39	1.2	4.6	0.05	14	ND	
27/10/20		10/11/20	30/11/20	8	196	26	0.001	<0.0001	<0.001	0.002	0.003	<0.001	0.010	0.347	0.10	0.01	<0.01	1.2	1.2	0.09	17	ND	
26/05/21		04/06/21	24/06/21	<5	241	24	<0.001	<0.0001	<0.001	<0.001	0.003	<0.001	0.063	0.005	<0.05	<0.01	<0.01	0.7	0.7	0.03	12	ND	
02/11/21		12/11/21	03/12/21	<5	222	28	<0.001	0.0002	<0.001	0.003	0.003	<0.001	0.082	0.012	<0.05	0.01	2.03	0.9	2.9	0.03	9	ND	
07/06/22		20/06/22	08/07/22	10	236	42	<0.001	0.0001	<0.001	0.002	0.005	<0.001	0.195	0.008	<0.05	<0.01	1.34	1.1	2.4	0.03	11	ND	
14/12/22		29/12/22	23/01/23	7	177	36	<0.001	<0.0001	<0.001	0.003	0.005	<0.001	0.118	0.137	0.10	0.08	2.04	1.0	3.0	0.05	11	ND	
11/07/23		18/07/23	07/08/23	<5	304	64	<0.001	<0.0001	<0.001	0.002	0.004	<0.001	0.048	0.018	<0.05	0.03	1.32	0.9	2.2	0.01	12	ND	
19/01/24		30/01/24	19/02/24	10	378	41	<0.001	<0.0001	<0.001	0.005	0.004	<0.001	0.089	0.201	0.46	0.07	<0.01	0.9	0.9	0.04	12	ND	
25/06/24		03/07/24	23/07/24	<5	278	44	<0.001	0.0001	<0.001	0.002	0.005	<0.001	0.176	0.005	<0.05	<0.01	0.41	0.6	1.0	0.03	10	ND	

Table 4: Leachate quality – Field analytes

Measure	Frequency required by licence	DO mg/L	EC µS/cm	pH 1-14	Eh mV	Temp °C	Alk mg/L	TOC mg/L
WL1	Annually							
28/02/20		No leachate available						
27/10/20		No leachate available						
26/05/21		No leachate available						
02/11/21		No leachate available						
07/06/22		No leachate available						
14/12/22		No leachate available						
11/07/23		No leachate available						
19/01/24		No leachate available						
25/06/24		No leachate available						

Table 5: Leachate quality – Laboratory analytes

Measure	Frequency required by licence	Received from laboratory	Accessible on Council website by	SO ₄ mg/L	Cl mg/L	As mg/L	Cd mg/L	Cr mg/L	Cu mg/L	Ni mg/L	Pb mg/L	Zn mg/L	Mn mg/L	Fe mg/L	Hg mg/L	NH ₃ mg/L as N	NO _x mg/L as N	TKN mg/L as N	TN mg/L as N	TP mg/L	BTEX compounds mg/L	
WL1	Annually																					
28/02/20		NA	NA	No leachate available																		
27/10/20		NA	NA	No leachate available																		
26/05/21		NA	NA	No leachate available																		
02/11/21		NA	NA	No leachate available																		
07/06/22		NA	NA	No leachate available																		
14/12/22		NA	NA	No leachate available																		
11/07/23		NA	NA	No leachate available																		
19/01/24		NA	NA	No leachate available																		
25/06/24		NA	NA	No leachate available																		